


# TB7

Thermobase



## Overview

With the Thermobase TB7 Secabo offers a heated bottom plate as an extension for your 40cm x 50cm models from Secabo, such as TC7 SMART, TS7 SMART, TPD7 and TPD7 PREMIUM, as well as for many older models. With the new TB7 in a transfer press, the heat comes not only from the top, but additionally from the bottom. This enables lower transfer temperatures overall, shorter transfer times and reduces marks on the textiles. In addition, the temperature can be reduced by the second heating plate, which in turn protects the fabric. The heatable lower plate is particularly recommended for delicate textiles. White toner transfers and sublimation transfers also succeed much more reliably, more reproducibly and in higher quality with a lower plate with fixed heat! The temperature of the TB7 is regulated by its own Secabo controller. The thermobase is softly padded, but can also be equipped with a hard or extra soft mat, depending on the application. The scope of delivery also includes a protective cover. The Thermobase TB7 is easy to mount, even on Secabo quick-change systems.

## Features



### Digital controller

Duration and temperature can easily be adjusted and monitored using the digital controller.



### Toner transfer

Better printing results, especially with sublimation and white toner transfers.



### Safe working

The safety and quality of this device is constantly monitored - according to German safety standards.



### Precise temperature distribution

The high-quality heat plate ensures an exact temperature distribution over the entire heating surface.

## Technical Data

Working area size:	40 x 50 cm
Max. temperature:	160 °C
Power supply:	AC voltage 230V / 50Hz - 60Hz, 2.0kW
Environment:	+5°C - +35°C / 30% - 70% humidity
Dimensions:	41 x 51 x 7 cm
Items included:	Heat plate, silicone mat, cover, controller box, table mount for controller box, C13 cold device power cable, user manual
weight without packaging	13 kg
weight with package	17,00 kg
Brand	Secabo

## Views



