

# TCB



## Overview

Play in the premier league with the new ball press from Secabo Experience best performance and highest comfort with the Secabo TCB LITE ball press - This innovative transfer press opens up a world of new possibilities and flexibility for the finishing of inflatable sports balls, such as synthetic leather footballs, handballs and basketballs. Personalized mementos and prizes for events or giveaways can be produced with logos, player names or numbers. The automatic-opening TCB LITE ball press features a digital temperature and time display and is suitable for all common hot transfer processes. The specially shaped heating plate fits virtually all ball sizes and shapes, while the adjustable cylinder provides precise pressure. The same temperature of 113 °C for 8 seconds can be applied to all balls to avoid damaging delicate plastics or synthetic leather. A transfer size of up to 5 cm x 8 cm is recommended to ensure smooth application on the curved ball surface. The TCB LITE ball press offers convenience and supports all professional applications of popular hot transfer methods such as flock foils, flex foils, sublimation, InkJet flex, etc. Digital controller for temperature and time Temperature (max. 220°C) and time adjustable Easily adjustable contact pressure High-quality heating plate with additional protection plate Suitable for all common transfer methods Specially shaped heating plate for almost all ball sizes and shapes Adjustable cylinder for precise printing on different ball sizes Ideal for producing personalized mementos and prizes for events or giveaways.

## Technical Data

Dimensions open	32 x 92 x 70cm
Dimensions closed	32 x 71 x 60cm
working area	5cm x 8cm
scope of delivery	Mechanical base with heating element, LITE controller, C13 power supply connection cable, tools, operating instructions
pressure setting	the heating plate can be adjusted with a hand reel
max. downforce	250 g / cm <sup>2</sup>
max temperature	250 °C
maximum time preset	999 s
max. opening angle	40°
power supply	AC voltage 230V / 50Hz - 60Hz, 1.8kW
environment	+5°C - +35°C / 30% - 70% humidity
(Transfer press) Weight without packing	25 kg
weight with package	31,60 kg
Brand	Secabo

## Views



