

TCC lite



Overview

With the Secabo LITE series, users get the best performance and convenience when finishing baseball caps, hats and similar products. The innovative TCC LITE cap press enables even better performance through new ways of finishing. Users can pursue other activities during the transfer process, as they do not have to wait next to the press. The automatic opening of the press after the set time has elapsed is announced by an acoustic signal. Temperature and pressing time can be conveniently preselected via the digital controller. The contact pressure is adjusted via a handwheel on the underside of the easily exchangeable base elements. The automatically opening TCC LITE has a large opening angle. In addition, the base elements in various sizes allow particularly small or particularly large caps and hats to be processed perfectly in the press. The LITE cap presses offer all professional applications of the common hot transfer processes such as flock films, flex films, sublimation, DTF, etc.. With the Secabo LITE series, users get the best performance and convenience when finishing baseball caps, hats and similar products. Easily adjustable contact pressure Modular design Suitable for all common transfer processes.

Technical Data

working area	15 cm x 8 cm
locking system	Knee lever with electromagnet and gas springs
folding angle	0 ° - 35 °
max temperature	220 ° C
maximum time preset	999 s
max. downforce	300 g / cm ²
power supply	230 V / 50 Hz - 60 Hz, 1.0 kW
environment	+5 °C - +35 °C / 30 % - 70 % humidity
Dimensions closed (WxHxD)	24 cm x 59 cm x 53 cm
Dimensions open (WxHxD)	24 cm x 71 cm x 53 cm
Options	Basic elements in other dimensions
scope of delivery	Mechanical base with heating element, basic element 14.6cm x 7.6cm, controller box, C13 power cable, tools, operating instructions
(Transfer press) Weight without packing	20 kg
weight with package	24,60 kg
Brand	Secabo

Views



