



## Overview

Best performance and high comfort with the Secabo LITE series

The Secabo TS5 LITE represents an innovative development in the field of swing-away transfer presses, specially designed for modern textile finishing and transfer printing businesses. With this model, Secabo offers a cost-effective, yet powerful alternative to the existing SMART line, ideal for start-ups and smaller businesses that want to invest in quality without compromising.

The LITE transfer presses offer everything that makes textile transfers with Secabo so convenient. All professional applications of common heat transfer processes such as flock foils, flex foils, sublimation, DTF transfers etc. are of course possible. The Secabo TS5 LITE can be optionally equipped with exchangeable plates in various formats - including a membrane base plate, a quick-change system and a slide extension for use as a double plate press.

intelligent display functions: With the digital controller for temperature and time, the desired settings can be made quickly and easily.

State-of-the-art press design: The TS5 LITE impresses with its intelligent design and high-quality materials. The modular design enables quick and easy adaptation to different requirements.

A basic product with great upgrade options: The TS5 LITE can be optionally equipped with interchangeable plates, a membrane base plate, a quick-change system as well as a slide extension to function as a double plate press or to be optimized for specific applications.

The Secabo TS5 LITE heat press offers everything you need for efficient and high-quality textile transfers, allowing you to realize your creative visions with precision and convenience.

Transfer press opens automatically after the time has elapsed

Digital controller for temperature and time

Temperature and time can be set on the controller using arrow keys

Modular design, components can be easily exchanged

Easily adjustable contact pressure

High-quality heating plate with additional protective plate

Suitable for all common transfer processes

Can be retrofitted with accessories such as interchangeable plates, slide extension or membrane heating plate for even greater productivity.

## Technical Data

working area	38cm x 38cm
dimensions	80cm x 45cm x 30cm
scope of delivery	Mechanical base, heating plate and base plate, LITE controller box, C13 IEC power cord, tools, operating instructions
pressure setting	the heating plate can be adjusted with a hand reel
max. downforce	250 g / cm <sup>2</sup>
max temperature	225 °C
maximum time preset	999 s
power supply	AC voltage 230V / 50Hz - 60Hz, 1.8kW
environment	+5°C - +35°C / 30% - 70% humidity
weight	60 kg
Options	Quick-change system, various interchangeable plates, slide extension, membrane base plate, TB7 Thermobase
weight with package	60,60 kg
Brand	Secabo

## Views



