



Overview

Secabo TS7 LITE Energy Saver - The ultimate upgrade in energy efficiency and transfer comfort. Increase energy efficiency and revolutionize your operation with the Secabo TS7 LITE Energy Saver. Equipped with the groundbreaking Energy Saver ES7 heating plate, this modular transfer press presents an unprecedented fusion of advanced technology and sustainability, specifically designed for demanding textile finishing and transfer printing projects. The LITE transfer presses offer everything that makes textile transfers with Secabo so comfortable. All professional applications of common heat transfer processes such as flock foils, flex foils, sublimation, DTF transfers etc. are of course possible. The Secabo TS7 LITE can be optionally equipped with exchangeable plates in various formats - including a membrane base plate, a quick-change system and a slide extension for use as a double plate press. Optimum energy efficiency meets elite performance: The TS7 LITE Energy Saver integrates the innovative ES7 heating plate with additional insulation, which significantly reduces standby energy consumption and promises savings of up to 80%. In operation, this hot plate operates over 30% more efficiently than conventional models, which not only results in remarkable energy savings, but also minimizes the environmental footprint of your operation. User-centric safety and ease of use: Thanks to the specially designed cover hood, your employees are protected from potential burns while further reducing energy consumption. Operating the hotplate is easy even without the cover, and a handwheel allows you to precisely adjust the contact pressure for a quick start.

Technical Data

| | |
|---------------------|---|
| working area | 40cm x 50cm |
| scope of delivery | Mechanical base, heating plate and base plate, LITE controller box, C13 IEC power cord, tools, operating instructions |
| pressure setting | the heating plate can be adjusted with a hand reel |
| max. downforce | 250 g / cm ² |
| max temperature | 225 °C |
| maximum time preset | 999 s |
| power supply | AC voltage 230V / 50Hz - 60Hz, 1.8kW |
| environment | +5°C - +35°C / 30% - 70% humidity |
| Options | Quick-change system, various interchangeable plates, slide extension, membrane base plate, TB7 Thermobase |
| weight with package | 70,60 kg |
| Brand | Secabo |

Views



