



Overview

Best performance and high comfort with the Secabo LITE series
 The Secabo TS7 LITE marks an innovative milestone in the development of swing-away transfer presses. As part of Secabo's new LITE series, the TS7 LITE offers a cost-effective, high-performance solution for demanding textile finishing and transfer printing projects. With a working area of 40cm x 50cm, it is ideal for larger designs and enables efficient production with the highest quality.
 the LITE transfer presses offer everything that makes textile transfers with Secabo so convenient. All professional applications of common heat transfer processes such as flock foils, flex foils, sublimation, DTF transfers, etc. are of course possible.

The Secabo TS7 LITE can be optionally equipped with interchangeable plates in various formats - including a membrane base plate, a quick-change system and a slide extension for use as a double plate press.
 intelligent display functions: Simple and quick setting of temperature and time via the digital controller.
 State-of-the-art press design: The TS7 LITE impresses with its intelligent design and the use of high-quality materials. Its modular design makes it quick and easy to adapt to different requirements.
 A basic product with extensive upgrade options: The TS7 LITE offers numerous options for customization and expansion to create your ideal work tool. From retrofitting with a passive membrane lower plate to integrating the Secabo TB7 Thermobase for even more precise transfers - the TS7 LITE adapts to your needs.
 The Secabo TS7 LITE heat press represents a new generation of heat presses that enable efficiency, flexibility and the highest quality in textile finishing. Discover the many possibilities of the TS7 Lite and set new standards in your production.
 Transfer press opens automatically after the time has elapsed
 Digital controller for temperature and time
 Temperature and time can be set on the controller using arrow keys
 Modular design, components can be easily exchanged
 Easily adjustable contact pressure
 High-quality heating plate with additional protective plate
 Suitable for all common transfer processes
 Can be retrofitted with accessories such as exchangeable plates, slide extension or membrane heating plate for even greater productivity.

Technical Data

working area	40cm x 50cm
dimensions	80cm x 45cm x 30cm
scope of delivery	Mechanical base, heating plate and base plate, LITE controller box, C13 IEC power cord, tools, operating instructions
pressure setting	the heating plate can be adjusted with a hand reel
max. downforce	250 g / cm ²
max temperature	225 °C
maximum time preset	999 s
power supply	AC voltage 230V / 50Hz - 60Hz, 1.8kW
environment	+5°C - +35°C / 30% - 70% humidity
Options	Quick-change system, various interchangeable plates, slide extension, membrane base plate, TB7 Thermobase
weight with package	66,60 kg
Brand	Secabo

Views



