





# **Overview**

The professional device for high-end applications at the highest level - The TS7 SMART swingaway heat press from Secabo is THE professional device for textile finishing at the highest level and the first heat press from Secabo Made in Germany. The professional device has a modular design and thus provides you with an optimum basis for creating your own personal "workhorse". With its convenient automatic swing mechanism, the Secabo TS7 heat press offers a particularly large working area for easy alignment of the transfer objects. The generous base plate measuring 40 cm x 50 cm is arranged in portrait format, which makes it even easier to position the objects to be transferred precisely. Transfer objects with a height of up to 70mm are easy to handle thanks to the large adjustment range of the press head and can be pressed with a maximum contact pressure of up to 250g/cm2. Whether you want to press work pants, gym bags or hoodies, the large adjustment range makes them completely flexible. With a swivel angle of 110°, you can work in a comfortable working position. The swivel direction of the TS7 SMART can be selected to the right or left, allowing the heat press to fit perfectly into almost any production environment. The automatic opening and automatic swinging open of the TS7 SMART swingaway heat press after the transfer process makes your work easier and ensures a smooth workflow. The Secabo TS7 Smart is suitable for all known heat transfer processes and can therefore be used in all areas of transfer technology. As you would expect from Secabo, the TS7 SMART is easy to operate, even for beginners. The device has a digital controller, where a temperature of up to 225 °C and a maximum pressing time of 999 s can be precisely preselected for the transfer. Like all products in Secabo's TC SMART series, the TS7 SMART has a Bluetooth interface which, together with the Secabo SMART Transfer app, offers complete instructions for multi-stage transfers and many other great features. The TS7 SMART heat press is available with the TB7 thermobase, quick-change systems, exchangeable plates and the slide extension as well as other accessories from Secabo.



# **Features**



### Bluetooth interface

The device can be connected and controlled via Bluetooth with a mobile device and the Secabo Smart Transfer App.



### Variable work pressure

The work pressure is easy to adjust - in each case matching the transfer object and procedure.



## Low hysteresis

A state-of-the-art controller reduces the temperature fluctuations to a minimum, thus ensuring consistently good transfer results.



### Secabo Smart Transfer App

The device is ready for control via the Secabo app. With the aid of this app, suitable transfer parameters can be selected for your application.



### Safe working

The safety and quality of this device is constantly monitored – according to German safety standards.



# Opens automatically

The heat press automatically opens after the set time has elapsed.



# Precise temperature distribution

The high-quality heat plate ensures an exact temperature distribution over the entire heating surface.



# Digital controller

Duration and temperature can easily be adjusted and monitored using the digital controller.



### Replaceable plates

Interchangeable base plates available - also in combination with a quick-change system



### Large workspace

The press can be opened over 110°, thus guaranteeing relaxed and safe working.



# **Technical Data**

Working area size: 40cm x 50cm

Adjustment of the Max. Object height: 70mm

Swivel angle:  $110^{\circ}$ , opening to the right or left possible

Max. temperature: 225 °C

Max. contact pressure: 250 g / cm<sup>2</sup>

Max. preset time: 999 s

Pressure setting: Height-adjustment of the heat plate via hand wheel

Power supply: AC voltage 230V / 50Hz - 60Hz, 2kW

Environment:  $+5^{\circ}\text{C} - +35^{\circ}\text{C} / 30\% - 70\%$  relative humidity

Dimensions with pedestal extension: W: 596 mm x D:1070 mm H:854 mm

Items included: heat press, power cord, english manual

Optional: Quick-change system, interchangeable plates, slide

extension

weight without packaging 64 kg

weight with package 72,00 kg

Brand Secabo



# Views







